ANNEX I to the Handbook of small-scale AD technology model

1. Energy Management

The problem of electricity storage at the time of fluctuations in biogas production, on the one hand, and discontinuities in the demand for energy, on the other (both daily and seasonal fluctuations), can be solved by connecting the biogas plant to the electrical (national) grid. When a surplus of electrical energy is produced - it is fed into the grid, and when the demand exceeds production, energy is drawn from the grid. The issues of balancing the energy taken from and delivered to the grid, as well as settlements in this respect with the distribution system operator, are governed by internal regulations of each country (e.g. net-metering).

Technical solutions other than biogas storage systems described in the Handbook, such as systems of energy accumulators, are too expensive for implementation in a small biogas plant.

2. Sustainability evaluation

Models of small-scale biogas plants described in the Handbook on pages 77-89 were subjected to a sustainability evaluation with the use of the SmallBIOGAS software. The following table provides a summary of the analysed models:

Table 1: Small-scale anaerobic digestion models

Model	Substrate	Energy needs (MWh/year)		Energy production (MWh/year)			
	Туре	Quantity (t/year)	Costs (EUR)	El	Th	El	Th
30kW	Manure/Bovine Milking cow/Manure very compact	785	0	75,56	325	232,32	352,01
WET	Manure/Bovine Milking cow/Slurry	1 507	0				
	Industrial organic waste/ Animal waste/Dairy	819	0				
	Industry/ Whey						
	Industrial organic waste/ Animal waste/Dairy Industry/ Cheese waste	6	0				
	SUM	3117	0 EUR/year				
60kW	Manure/Pig/Pig manure (mixed)	903	0	41,73	139	463,67	702,54
WET	Manure/Poultry/Chicken manure	33	0				
	Manure /Bovine/Milking cow/Manure very compact	1 541	0				
	Manure/Bovine Milking cow Slurry	2 939	0				
	Energy crops/Crops/Cereals/ Maize (whole plant)	434	0				
	SUM	5 850	0 EUR/year				

100kW	Manure/Bovine/Milking cow/Slurry	9 263	0	68,5	181	761,74	1154,16
WET	Manure/Bovine/Milking cow/Manure very compact	2 160	0				
	Energy crops/Crops Cereals/Maize (whole plant)	196	40 EUR/tonne				
	SUM	11 619	7 840 EUR/year				
30kW	Industrial organic waste/ Vegetable waste/Brewing/Brewers grains	280	0	157	38,5	228,89	346,81
DRY	Manure/Bovine Milking cow/Manure very compact	74	0				
	SUM	354	0 EUR/year				
60kW	Industrial organic waste/Harvesting crops waste/Waste storage/Dust silo	43	0	105,6	0	457,29	692,86
DRY	waste						
	Industrial organic waste/Harvesting crops waste/Other harvesting	17	0				
	waste/Discarded grain						
	Industrial organic waste/Vegetable waste/Milling Industry/Wheat bran	526	108 EUR/tonne				
	Manure/Bovine/Milking cow/Manure very compact	259	0				
	SUM	845	56 808 EUR/year				
100kW	Industrial organic waste/Animal waste/Food	2 490	0	875	0	761,99	1154,53
DRY	Industry/Offal and manure						
	Industrial organic waste/Animal waste/Other Industries/Sewage sludge from	2 506	0				
	industrial treatment plants						
	Industrial organic waste/Animal waste/Food Industry/Slaughterhouse animal	49	250				
	fats						
	Industrial organic waste/Animal waste/Food Industry/Slaughterhouse animal	708	50				
	fats						
	SUM	5 753	47 650 EUR/year				

For the sake of sustainability evaluation, 6 scenarios have been defined:

- No subsidies (financing structure: 30% own funds, 70% loan) + Energy self-consumption (both thermal and electric)
- No subsidies (financing structure: 30% own funds, 70% loan) + Energy sale (both thermal and electric)
- No subsidies (financing structure: 30% own funds, 70% loan) + Energy MIX: self-consumption/sale of surplus (both thermal and electric)
- 30% subsidies (financing structure: 30% subsidy, 30% own funds, 40% loan) + Energy self-consumption (both thermal and electric)
- 30% subsidies (financing structure: 30% subsidy, 30% own funds, 40% loan) + Energy sale (both thermal and electric)
- 30% subsidies (financing structure: 30% subsidy, 30% own funds, 40% loan)+ Energy MIX: self-consumption/sale of surplus (both thermal and electric)

Selected parameters of the results of the assessment carried out with the SmallBIOGAS tool are shown in the table below (payback period, investment costs, CO2 reduction).

Table 2: Results of sustainability assessment

,	PAYBACK PERIOD (years)						
WET Model (with CHP)	Italy	Spain	Ireland	France	Sweden	Germany	Poland
30 kW no subsidies self consumption	13,80	12,33	>15	>15	>15	12,96	>15
30 kW no subsidies sale of energy	6,02	>15	11,11	13,01	>15	7,86	>15
30kW no subsidies MIX consumption/sale	5,60	8,62	8,47	13,90	>15	6,27	>15
30 kW 30% subsidies self consumption	9,66	8,63	>15	>15	>15	9,07	>15
30 kW 30% subsidies sale of energy	4,21	>15	7,78	9,11	>15	5,5	>15
30 kW 30% subsidies MIX consumption/sale	3,92	6,04	5,93	9,73	13,99	4,39	13,09
60 kW no subsidies self consumption	>15	>15	>15	>15	>15	>15	>15
60 kW no subsidies sale of energy	6,06	>15	11,57	>15	>15	10,90	>15
60 kW no subsidies MIX consumption/sale	5,93	>15	10,23	>15	>15	9,86	>15
60 kW 30% subsidies self consumption	>15	>15	>15	>15	>15	>15	>15
60 kW 30% subsidies sale of energy	4,24	>15	8,10	11,21	>15	7,63	>15
60 kW 30% subsidies MIX consumption/sale	4,15	>15	7,16	11,59	>15	6,90	13,28
100 kW no subsidies self consumption	>15	>15	>15	>15	>15	>15	>15
100 kW no subsidies sale of energy	4,91	>15	7,50	13,06	>15	8,57	14,97
100 kW no subsidies MIX consumption/sale	4,85	>15	6,92	13,41	>15	7,99	13,28
100 kW 30% subsidies self consumption	>15	>15	>15	>15	>15	>15	>15
100 kW 30% subsidies sale of energy	3,44	>15	5,25	9,14	>15	6,00	10,48
100 kW 30% subsidies MIX consumpt/sale	3,39	>15	4,85	9,38	>15	5,59	9,30
	PAYBACK PERIOD (year			years)			
DRY Model (with CHP)	Italy	Spain	Ireland	France	Sweden	Germany	Poland
30 kW no subsidies self consumption	11,04	8,35	14,09	>15	>15	9,59	>15
30 kW no subsidies sale of energy	4,87	12,06	7,76	7,29	>15	5,92	>15
30kW no subsidies MIX consumption/sale	5,48	5,99	8,01	8,63	14,41	5,47	10,91
30 kW 30% subsidies self consumption	7,73	5,84	9,87	>15	>15	6,72	10,84

30 kW 30% subsidies sale of energy	3,41	8,44	5,43	5,10	12,37	4,14	>15
30 kW 30% subsidies MIX consumption/sale	3,83	4,19	5,61	6,04	10,09	3,83	7,63
60 kW no subsidies self consumption	>15	>15	>15	>15	>15	>15	>15
60 kW no subsidies sale of energy	8,51	>15	>15	>15	>15	>15	>15
60 kW no subsidies MIX consumption/sale	9,38	>15	>15	>15	>15	>15	>15
60 kW 30% subsidies self consumption	>15	>15	>15	>15	>15	>15	>15
60 kW 30% subsidies sale of energy	5,96	>15	>15	13,93	>15	>15	>15
60 kW 30% subsidies MIX consumption/sale	6,57	>15	>15	>15	>15	>15	>15
100 kW no subsidies self consumption	13,94	>15	>15	>15	>15	>15	>15
100 kW no subsidies sale of energy	5,68	>15	10,28	13,35	>15	12,79	>15
100 kW no subsidies MIX consumption/sale	8,08	10,94	13,83	>15	>15	11,00	>15
100 kW 30% subsidies self consumption	9,76	11,67	>15	>15	>15	12,74	>15
100 kW 30% subsidies sale of energy	3,78	>15	7,20	9,34	>15	8,95	>15
100 kW 30% subsidies MIX consumpt/sale	5,65	7,66	9,68	>15	>15	7,74	>15
		тота	L INVESTMENT	COSTS (Bioga	s plant + CHP)	[EUR]	
WET Model (with CHP)	Italy	Spain	Ireland	France	Sweden	Germany	Poland
30 kW	287.427,38	179.852,32	276.550,81	329.132,56	276.550,81	208.983,77	241.936,45
COLINA		224 047 20	392.953,93	571.576,14	392.953,93		426.514,97
60 kW	480.609,7	331.047,29	392.933,93	371.370,14	332.333,33	400.480,14	420.514,97
100 kW	480.609,7 707.946,16	527.059,52	518.129,30	862.281,71	518.129,30	400.480,14 651.835,96	656.256,60
	•	527.059,52	518.129,30		518.129,30	651.835,96	
	•	527.059,52	518.129,30	862.281,71	518.129,30	651.835,96	
100 kW	707.946,16	527.059,52 TOTA	518.129,30 L INVESTMENT	862.281,71 COSTS (Bioga	518.129,30 s plant + CHP)	651.835,96 [EUR]	656.256,60
DRY Model (with CHP)	707.946,16	527.059,52 TOTA Spain	518.129,30 L INVESTMENT Ireland	862.281,71 COSTS (Biogar France	518.129,30 s plant + CHP) Sweden	651.835,96 [EUR] Germany	656.256,60 Poland
DRY Model (with CHP) 30 kW	707.946,16 Italy 270.455,81	527.059,52 TOTA Spain 163.705,29	518.129,30 L INVESTMENT Ireland 260.658,92	862.281,71 COSTS (Bioga: France 311.435,99	518.129,30 s plant + CHP) Sweden 260.658,92	651.835,96 [EUR] Germany 192.270,42	656.256,60 Poland 225.212,29
DRY Model (with CHP) 30 kW 60 kW	707.946,16 Italy 270.455,81 450.646,10	527.059,52 TOTA Spain 163.705,29 301.974,98	518.129,30 L INVESTMENT Ireland 260.658,92 365.164,47 488.428,03	862.281,71 COSTS (Biogar France 311.435,99 540.250,21	518.129,30 s plant + CHP) Sweden 260.658,92 365.164,47 488.428,03	651.835,96 [EUR] Germany 192.270,42 370.254,62	656.256,60 Poland 225.212,29 396.630,02
DRY Model (with CHP) 30 kW 60 kW	707.946,16 Italy 270.455,81 450.646,10	527.059,52 TOTA Spain 163.705,29 301.974,98	518.129,30 L INVESTMENT Ireland 260.658,92 365.164,47 488.428,03	862.281,71 COSTS (Biogal France 311.435,99 540.250,21 832.715,57	518.129,30 s plant + CHP) Sweden 260.658,92 365.164,47 488.428,03	651.835,96 [EUR] Germany 192.270,42 370.254,62	656.256,60 Poland 225.212,29 396.630,02
DRY Model (with CHP) 30 kW 60 kW 100 kW	707.946,16 Italy 270.455,81 450.646,10 678.328,46	527.059,52 TOTA Spain 163.705,29 301.974,98 497.422,82	518.129,30 LINVESTMENT Ireland 260.658,92 365.164,47 488.428,03 CO2 I	862.281,71 COSTS (Bioga: France 311.435,99 540.250,21 832.715,57 REDUCTION (t/	518.129,30 s plant + CHP) Sweden 260.658,92 365.164,47 488.428,03 year)	651.835,96 [EUR] Germany 192.270,42 370.254,62 622.245,46	656.256,60 Poland 225.212,29 396.630,02 626.644,76
DRY Model (with CHP) 30 kW 60 kW 100 kW WET Model (with CHP)	707.946,16 Italy 270.455,81 450.646,10 678.328,46	527.059,52 TOTA Spain 163.705,29 301.974,98 497.422,82	518.129,30 LINVESTMENT Ireland 260.658,92 365.164,47 488.428,03 CO2 I	862.281,71 COSTS (Biogar France 311.435,99 540.250,21 832.715,57 REDUCTION (t/	518.129,30 s plant + CHP) Sweden 260.658,92 365.164,47 488.428,03 year)	651.835,96 [EUR] Germany 192.270,42 370.254,62 622.245,46	656.256,60 Poland 225.212,29 396.630,02 626.644,76
DRY Model (with CHP) 30 kW 60 kW 100 kW WET Model (with CHP) 30 kW	707.946,16 Italy 270.455,81 450.646,10 678.328,46	527.059,52 TOTA Spain 163.705,29 301.974,98 497.422,82	518.129,30 LINVESTMENT Ireland 260.658,92 365.164,47 488.428,03 CO2 I	862.281,71 COSTS (Biogar France 311.435,99 540.250,21 832.715,57 REDUCTION (t/ France 158,57	518.129,30 s plant + CHP) Sweden 260.658,92 365.164,47 488.428,03 year)	651.835,96 [EUR] Germany 192.270,42 370.254,62 622.245,46	656.256,60 Poland 225.212,29 396.630,02 626.644,76

DRY Model (with CHP)	Italy	Spain	Ireland	France	Sweden	Germany	Poland	
30 kW	156,23							
60 kW	312,11							
100 kW	520,08							

Comments, remarks and recommendations:

- Essential for the analysis was the demand for energy as defined within each model the results of analysis for models in which most of the energy can be consumed on the spot will be significantly different than the results for models in which only a small amount of energy is consumed on the spot. In most of the analysed models (except the 30 kW DRY and 100 kW DRY) energy demand is much smaller than the production, therefore in their cases the scenario of energy self-consumption without selling surplus energy should be discarded.
- In countries where energy sales price is significantly lower than its purchase price (e.g. in Spain or Poland for <40 kW plants), it is the most profitable to choose a plant of such a size that makes it possible to maximise energy self-consumption. This is clearly visible on the example of the 30kW DRY model, where demand for electricity is closest to the amount of energy produced by the plant.
- In countries where the sales price of electricity is significantly higher than the purchase price (e.g. Italy, France) the opportunity to sell excess energy can improve the economic result of the project.
- As regards thermal energy, in all countries its purchase price is higher than the sales price, therefore it is more profitable to use the produced heat for self-consumption. It should be noted that prices of thermal energy are generally much lower than the prices of electricity, so their impact on the economics of a project is less than the impact of electricity prices. Nevertheless, in the case of some companies with high demand for thermal energy (e.g. dairies), the meeting of their own demand for thermal energy will be the key element of the biogas project.
- The most optimal solution for all models is a scenario of mixed energy use, i.e. the consumption of energy for own purposes and selling the surplus. Only in the case of France and Spain energy sales prices are higher than purchase prices to the extent that the option of solely selling the energy turns out for some models to be slightly more profitable than the MIX option.
- A comparison between different countries shows that where energy prices (sales and purchase) are high, investment in biogas plants pays off more quickly, because energy savings or its sale compensate in a predictable term for certain capital expenditures. At comparable investment costs but low energy prices (e.g. in Sweden, Poland), payback periods are much longer.
- The use of expensive substrates (e.g. corn silage, wheat bran, slaughterhouse animal fats) e.g. in the 60kW DRY and 100kW DRY models make the project not viable operating costs exceed the potential gains from the sale or consumption of energy. It is advisable to use waste substrates of which the acquisition is not a cost (including the opportunity cost resulting from the resignation of selling them).

Disclaimer: The analysis refers to theoretical models that determine the composition of substrates with specific properties and the energy demand of the company. The analysis was performed based on default values (and hence averaged) included in the SmallBIOGAS tool and defined for each country by the BIOGAS3 project partners. Results of feasibility studies for biogas plants of equal capacities, but using other substrates or substrates with different properties; operated by companies with different levels of demand for electricity and heat; in different countries; under different local conditions - may significantly differ from those presented in the table. The economic result of a project is largely dependent on the purchase and sales prices of electricity, and can also be individually varied even within one country (e.g. depending on the type of entity and the type of tariff). Other important factors affecting the economics of a project are operating expenses, which in each case depend on several factors, such as technological solutions. There was also an assumption made in the analysis that all thermal energy can be consumed on the spot or sold to external recipients, which in many cases is difficult to achieve in real terms.